

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A polycarbonate resin composition comprising a resin mixture of

component (A) comprising

(A-1) 10 to 62.5 ~~400~~ mass% of an aromatic polycarbonate resin wherein dihydroxybiphenyl is used in an amount of 5 to 50 mol% with respect to the total amount of divalent phenol as a raw material in the formation of the aromatic polycarbonate resin and

(A-2) 90 to 37.5 ~~[[0]]~~ mass% of an aromatic polycarbonate resin other than the aromatic polycarbonate resin of component (A-1), and

an amorphous styrene resin (B), in a mass ratio of component (A) to component (B) of 50:50 to 95:5,

wherein aromatic polycarbonate resin (A-2) is an aromatic polycarbonate resin containing polyorganosiloxane


~~at least one component (E) in an amount of 0.05 to 2 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B), wherein said at least one component (E) is selected from the group consisting of~~

~~a metal salt of a perfluoroalkane sulfonic acid represented by formula (II)~~



~~wherein a is an integer of 1 to 10, M is an alkali metal or an alkaline earth metal, and b is the atomic valency of M, and~~

~~an aromatic vinyl resin containing sulfonate groups having a weight average molecular weight of from 1,000 to 300,000, wherein said aromatic vinyl resin is represented by formula (III)~~



~~wherein X is a sulfonate group of an alkali metal salt of sulfonic acid or of an alkaline earth metal salt of sulfonic acid, Y is a hydrogen atom or a hydrocarbon group having~~

~~1 to 10 carbon atoms, c is a number of 1 to 5, and d represents mole fraction and is in a range of $0 < d \leq 1$, and a silicone compound (F), containing functional groups, in an amount of 0.1 to 0.3 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).~~

Claim 2 (Canceled).

Claim 3 (Canceled)

Claim 4 (Currently Amended): The polycarbonate resin composition according to claim 1 ~~[[3]]~~, wherein the polyorganosiloxane in the aromatic polycarbonate resin containing polyorganosiloxane is polydimethylsiloxane.

Claims 5-10 (Canceled).

Claim 11 (Previously Presented): An injection-molded article made of the polycarbonate resin composition according to claim 1.

Claim 12 (Previously Presented): The polycarbonate resin composition according to claim 1, wherein the amorphous styrene resin of component (B) is at least one copolymer selected from the group consisting of ABS resin (acrylonitrile-butadiene rubber - styrene copolymer), AES resin (acrylonitrile-ethylene propylene rubber - styrene copolymer), AAS resin (acrylonitrile-acrylic rubber - styrene copolymer), MBS resin (methylmethacrylate-butadiene rubber - styrene copolymer), AS resin (acrylonitrile - styrene copolymer) and MS resin (methylmethacrylate - styrene copolymer).


Claim 13 (Previously Presented): The polycarbonate resin composition according to claim 1, further comprising an inorganic filler (C) in an amount of 1 to 20 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 14 (Previously Presented): The polycarbonate resin composition according to claim 1, further comprising an impact resistance improver (D) in an amount of 1 to 15 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).

Claim 15 (Cancelled)

Claim 16 (Cancelled)

Claim 17 (Currently Amended): The polycarbonate resin composition according to claim 28 [[1]], wherein the silicone compound (F), containing functional groups, is a polymer or a copolymer having a structure represented by formula (IV):



wherein

R^3 is an alkoxy group, an aryloxy group, a polyoxyalkylene group, hydrogen, a hydroxyl group, a carboxyl group, a silanol group, an amino group, a mercapto group, an epoxy group, or a vinyl group,

R^4 is a hydrocarbon group having 1 to 12 carbon atoms,

$$0 < e \leq 3,$$

$$0 < f \leq 3, \text{ and}$$

$$0 < (e+f) \leq 3.$$

Claim 18 (Currently Amended): The polycarbonate resin composition according to claim 27 [[1]], ~~wherein the metal salt of a perfluoroalkane sulfonic acid (E) represented by formula (II) is~~ comprising a potassium perfluoroalkane sulfonate as component (E).

Claim 19 (Currently Amended): The polycarbonate resin composition according to claim 27 [[1]], ~~wherein the aromatic vinyl resin containing sulfonate groups having a weight average molecular weight of from 1,000 to 300,000 (E) represented by formula (III) is~~ comprising sodium polystyrene sulfonate as component (E).

Claim 20 (Previously Presented): The polycarbonate resin composition according to claim 1, wherein said polycarbonate resin composition has a heat deformation temperature of 110°C or more.

Claim 21 (Previously Presented): The polycarbonate resin composition according to claim 20, wherein said polycarbonate resin composition has a spiral flow length of 35 cm or more.

Claim 22 (Previously Presented): The polycarbonate resin composition according to claim 21, wherein said polycarbonate resin composition has a flame retardance of V-0.

Claim 23 (Cancelled)

Claim 24 (Cancelled)

Claim 25 (Cancelled)

Claim 26 (Cancelled)


Claim 27 (New): The polycarbonate resin composition according to claim 1, further comprising at least one component (E) in an amount of 0.05 to 2 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B), wherein said at least one component (E) is selected from the group consisting of:

a metal salt of a perfluoroalkane sulfonic acid represented by formula (II)



wherein a is an integer of 1 to 10, M is an alkali metal or an alkaline earth metal, and b is the atomic valency of M, and

an aromatic vinyl resin containing sulfonate groups having a weight average molecular weight of from 1,000 to 300,000, wherein said aromatic vinyl resin is represented by formula (III)



wherein X is a sulfonate group of an alkali metal salt of sulfonic acid or of an alkaline earth metal salt of sulfonic acid, Y is a hydrogen atom or a hydrocarbon group having 1 to 10 carbon atoms, c is a number of 1 to 5, and d represents mole fraction and is in a range of $0 < d \leq 1$.

Claim 28 (New): The polycarbonate resin composition according to claim 27, further comprising a silicone compound (F), containing functional groups, in an amount of 0.1 to 0.3 parts by mass with respect to 100 parts by mass of the sum of component (A) and component (B).